




CATALOGUE
2021



PROFAL
EST. 1984



Η εταιρεία μας ιδρύθηκε το 1984 κατασκευάζοντας προϊόντα από αλουμίνιο και σίδηρο. Σχεδόν από την ίδρυσή της κατασκευάζει σκάλες αλουμινίου - διαφόρων τύπων - υψηλών προδιαγραφών - καλύπτοντας έτσι ένα μεγάλο μέρος της ελληνικής αγοράς μέσω ενός σύγχρονου δικτύου διανομής προϊόντων. Παράλληλα, εξάγει προϊόντα σε χώρες της Βαλκανικής και την Κύπρο. Τα προϊόντα μας παρέχουν απόλυτη ασφάλεια και αντοχή διότι είναι κατασκευασμένα σύμφωνα με τα διεθνή πρότυπα.

Η εταιρεία μας είναι πιστοποιημένη κατά τα πρότυπα EN ISO 9001:2015 και EN 131 υιοθετώντας το τρίπτυχο :

Ασφάλεια - Αξιοπιστία - Εξυπηρέτηση.

Εκτός από τα παραγόμενα προϊόντα εισάγει και παρεμφερή, προσφέροντας έτσι μια μεγάλη ποικιλία ιδιαίτερα στο χώρο του χρωματοπωλείου και των ειδών οικιακού εξοπλισμού. Απευθύνεται σε καταστήματα και εταιρείες που πωλούν ανάλογα προϊόντα σε χονδρική πώληση. Οι ιδιώτες καταναλωτές μπορούν να προμηθευτούν τα προϊόντα μας από τα κατά τόπους συνεργαζόμενα καταστήματα.

Η εταιρεία λειτουργεί στις ιδιόκτητες εγκαταστάσεις της στον Αυλώνα Αττικής, διαθέτει σύγχρονο μηχανολογικό εξοπλισμό προσφέροντας καλύτερη ποιότητα, και έχοντας ως γνώμονα τις αυξημένες απαιτήσεις της αγοράς, βελτιώνει και διευρύνει τα παραγόμενα προϊόντα της.





Our company was established in 1984 producing aluminium and steel products. Almost from its very beginning it has been producing high quality ladders of various types, covering in this way a great part of the Greek market, via means of a contemporary network of products distribution. At the same time, it exports in Balkan countries and Cyprus. Not only do our products offer customers safety, but they are also highly durable as they are produced according to international standards.

Our company is certificated according to EN ISO 9001:2015 and EN 131, resulting in the triptych:

Safety – Reliability – Service.

Apart from its produced items, the company also imports similar products, offering customers a great variety of options, especially in the field of hardware stores and household goods.

It serves shops and companies which sell similar wholesale items. Private consumers can find and purchase our products from local collaborator stores.

Our company acts in its own building in Avlonas – Attica, with contemporary machinery, offering customers the best quality of our goods. Having in mind the demands of the market, we constantly improve and expand our produced items.





Company Information

Η εταιρεία μας	1
Our company	2
Πιστοποιητικά	3
Certificates	4
Index	5

Household Use

Aluminium ladder 'SUPER'	6
Aluminium ladder 'ECO'	7
Aluminium ladder 'PLUS'	8
Aluminium & galvanized steel ladder 'MIX'	9
Galvanized steel ladder 'STEEL'	10
Aluminium step ladder	11
Aluminium step stool 'STEPUP'.....	13
Anti-slip steel step stool 'EL'	14
Steel step stool 'TOP'	15

Professional Use

Single aluminium ladder 'PRO'.....	16
Two pieces extension aluminium ladder 'PRO' ...	17
Three pieces extension aluminium ladder 'PRO'..	18
Two single pieces extension aluminium ladder 'PRO'.....	19
Single aluminium ladder 'EVO'	20
Two pieces extension aluminium ladder 'EVO'	21
Three pieces extension aluminium ladder 'EVO'..	22
Enhanced aluminium ladder 'MAREA'	23
Aluminium ladder with 10cm step	24
Heavy duty aluminium ladder 'P1'	25
Multi-purpose aluminium ladder 'SCALLISSIMA'..	26
Multi-purpose aluminium ladder 'MULTI'	27
Aluminium work stand 'SIMPLE'	28
Aluminium boards	29
Aluminium platform-work stand 'BRIDGE'	29
Telescopic ladder 'TL'	30
Multi-purpose steel ladder 'EMA'	31
Wooden ladder 'WOODY'	32
Wooden work stand 'WOODY'	32

Industrial Use

Heavy duty aluminium ladder 'VERA'	33
Heavy duty aluminium ladder 'CASTELLANA'	34
Heavy duty aluminium ladder 'PALCO LIGHT'	35

Aluminium Scaffolds

Aluminium scaffold 'TEMPO'	36
Technical characteristics 'TEMPO'	37
Aluminium scaffold 'ROLLER'	38

Loft Ladders

Steel loft ladders	39
--------------------------	----

Household Goods

Ironing boards	40
Hangable & mountable clothes dryers	42
Floor clothes dryers	44
Electrical appliances bases	46
Shopping trolleys	46
Fabric shopping trolleys	47

Accessories

Product accessories	48
---------------------------	----



- ✓ Rectangular aluminium profile dimensions 46x20mm & 30x20mm (2+1-7+1), 48x20mm & 32x20mm (8+1)
- ✓ Striped aluminium steps for safe footing, width 80mm (two rivets)
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Non-skid PVC feet
- ✓ Safety belts & aluminium cross (5+1-8+1)
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 3-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 200 601

ΚΩΔΙΚΟΣ CODE				
200 201	2+1	1,26 m	0,63 m	2,9
200 301	3+1	1,50 m	0,86 m	3,4
200 401	4+1	1,74 m	1,09 m	4,0
200 501	5+1	1,98 m	1,32 m	4,7
200 601	6+1	2,22 m	1,55 m	5,2
200 701	7+1	2,46 m	1,78 m	5,8
200 801	8+1	2,74 m	1,98 m	7,1

ΣΚΑΛΑ ΑΛΟΥΜΙΝΙΟΥ 'ECO' ALUMINIUM LADDER 'ECO'



- ✓ Rectangular aluminium profile dimensions 46x20mm & 30x20mm
- ✓ Striped aluminium steps for safe footing, width 80mm
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Non-skid PVC feet
- ✓ Safety belts (5+1-7+1) & aluminium cross (7+1)
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 208 601

ΚΩΔΙΚΟΣ CODE				
		m	m	kg
208 201	2+1	1,14 m	0,58 m	2,8
208 301	3+1	1,35 m	0,77 m	3,3
208 401	4+1	1,57 m	0,97 m	3,9
208 501	5+1	1,78 m	1,16 m	4,4
208 601	6+1	1,99 m	1,36 m	4,9
208 701	7+1	2,20 m	1,56 m	5,6





- ✓ Rectangular aluminium profile dimensions 46x20mm & 30x20mm
- ✓ Striped aluminium steps for safe footing, width 130mm (two rivets)
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Non-skid PVC feet
- ✓ Safety belts & aluminium cross (5+1-7+1)
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 206 601

ΚΩΔΙΚΟΣ CODE				
				kg
206 201	2+1	1,26 m	0,63 m	3,3
206 301	3+1	1,50 m	0,86 m	4,0
206 401	4+1	1,74 m	1,09 m	4,9
206 501	5+1	1,98 m	1,32 m	5,8
206 601	6+1	2,22 m	1,55 m	6,6
206 701	7+1	2,46 m	1,78 m	7,4

ΣΚΑΛΑ ΑΠΟ ΑΛΟΥΜΙΝΙΟ & ΣΙΔΗΡΟ ΓΑΛΒΑΝΙΖΕ 'MIX' ALUMINIUM & GALVANIZED STEEL LADDER 'MIX'



- ✓ Oval steel profile \varnothing dimensions 40x20mm & 30x15mm
- ✓ Striped aluminium steps for safe footing, width 70mm
- ✓ High strength steel, thickness 1,2mm
- ✓ Non-skid PVC feet
- ✓ Safety chains (6+1 & 7+1)
- ✓ Maximum weight capacity 120kg
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 202 601

ΚΩΔΙΚΟΣ CODE				
202 301	3+1	1,40 m	0,82 m	5,0
202 401	4+1	1,64 m	1,05 m	5,7
202 501	5+1	1,88 m	1,28 m	6,6
202 601	6+1	2,12 m	1,51 m	7,6
202 701	7+1	2,36 m	1,74 m	8,5









- ✓ Rectangular steel profile 40x20mm & 30x20mm
- ✓ Striped steel steps for safe footing, width 75mm
- ✓ High strength steel, thickness 1,2mm
- ✓ Non-skid PVC feet
- ✓ Safety belts (5+1-9+1)
- ✓ Maximum weight capacity 150kg




Picture: 207 601

ΚΩΔΙΚΟΣ CODE				 kg
207 201	2+1	1,17 m	0,62 m	3,9
207 301	3+1	1,37 m	0,82 m	4,7
207 401	4+1	1,60 m	1,04 m	5,7
207 501	5+1	1,83 m	1,26 m	7,0
207 601	6+1	2,06 m	1,48 m	7,7
207 701	7+1	2,29 m	1,69 m	9,4
207 801	8+1	2,52 m	1,91 m	10,6
207 901	9+1	2,78 m	2,14 m	11,8

ΣΚΑΛΑΚΙ ΑΛΟΥΜΙΝΙΟΥ ΜΕ ΣΚΑΛΟΠΑΤΙΑ ΚΑΙ ΣΤΙΣ ΔΥΟ ΠΛΕΥΡΕΣ 'DUO'
 ALUMINIUM STEP LADDER WITH STEPS ON BOTH SIDES 'DUO'



- ✓ Rectangular aluminium profile dimensions 46x20mm
- ✓ Striped aluminium steps for safe footing, width 80mm (two rivets)
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Non-skid PVC feet
- ✓ Aluminium rods
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions




Picture: 803 004

ΚΩΔΙΚΟΣ CODE					
803 002	2+2	0,44 m	0,51 m	0,40 m	2,0
803 003	3+3	0,65 m	0,68 m	0,43 m	2,7
803 004	4+4	0,87 m	0,86 m	0,45 m	3,5
803 005	5+5	1,08 m	1,04 m	0,48 m	4,4
803 006	6+6	1,30 m	1,21 m	0,50 m	5,2





- ✓ Rectangular aluminium profile dimensions 46x20mm
- ✓ Striped aluminium steps for safe footing, width 80mm (two rivets)
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Non-skid PVC feet
- ✓ Aluminium rods
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 201 914

ΚΩΔΙΚΟΣ CODE					
201 913	2+1	0,65 m	0,68 m	0,43 m	2,4
201 914	3+1	0,87 m	0,86 m	0,45 m	3,0



ΣΚΑΛΟΣΚΑΜΠΟ ΑΛΟΥΜΙΝΙΟΥ 'STEPUP' ALUMINIUM STEP STOOL 'STEPUP'



- ✓ Rectangular aluminium profile 46x20mm & 30x20mm
- ✓ Plastic steps dimensions 25x35cm
- ✓ Guardrail height 60cm
- ✓ Aluminium cross
- ✓ Non-skid PVC feet
- ✓ 9cm thickness when closed, for easier storage
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN14183
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 205 243

ΚΩΔΙΚΟΣ CODE						ΠΙΣΤΟΠΟΙΗΣΗ CERTIFICATE
205 242	2	0,48 m	0,57 m	0,44 m	3,8	
205 243	3	0,72 m	0,74 m	0,44 m	5,1	
205 244	4	0,96 m	0,91 m	0,44 m	6,4	
205 245	5	1,20 m	1,08 m	0,44 m	7,6	










- ✓ Steel pipe Φ 25mm
- ✓ Anti-slip steps, dimensions 26x38cm
- ✓ Guardrail height 41cm
- ✓ Safety steel cross (EL-04 & EL-05)
- ✓ Non-skid PVC feet
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131



Picture: 205 EL-04

ΚΩΔΙΚΟΣ CODE					 kg	ΣΥΣΚ/ΣΙΑ PACKAGE
205 EL-02	2	0,47 m	0,49 m	0,49 m	4,7	2 pcs
205 EL-03	3	0,72 m	0,66 m	0,49 m	6,5	2 pcs
205 EL-04	4	0,97 m	0,83 m	0,49 m	8,4	2 pcs
205 EL-05	5	1,21 m	1,01 m	0,49 m	10,2	2 pcs



ΣΚΑΛΟΣΚΑΜΠΟ ΣΙΔΗΡΟΥ 'TOP' STEEL STEP STOOL 'TOP'




- ✓ Rectangular steel profile, dimensions 30x20mm & 20x20mm
- ✓ Striped steps for safe footing, dimensions 20x30cm
- ✓ Guardrail height 35cm
- ✓ Safety steel cross (143 & 144)
- ✓ Non-skid PVC feet
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN14183



Picture: 205 144

ΚΩΔΙΚΟΣ CODE						ΣΥΣΚ/ΣΙΑ PACKAGE
205 142	2	0,45 m	0,51 m	0,46 m	3,9	6 pcs
205 143	3	0,68 m	0,70 m	0,46 m	5,4	4 pcs
205 144	4	0,91 m	0,89 m	0,46 m	6,6	4 pcs





- ✓ Rectangular aluminium profile, with inner nerves, dimensions 74x25mm
- ✓ Striped aluminium rungs for safe footing, pressed, dimensions 47x24mm
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Non-skid PVC feet
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 800 107

ΚΩΔΙΚΟΣ CODE			
			kg
800 107	7	2,00 m	4,1
800 109	9	2,50 m	5,0
800 111	11	3,00 m	6,1
800 113	13	3,50 m	7,0
800 115	15	4,00 m	8,1
800 117	17	4,50 m	9,0
800 119	19	5,00 m	10,0
800 121	21	5,50 m	11,0
800 123	23	6,00 m	12,5




ΣΚΑΛΑ ΑΛΟΥΜΙΝΙΟΥ ΔΥΟ ΤΕΜΑΧΙΩΝ ΠΤΥΣΣΟΜΕΝΗ 'PRO'

TWO PIECES EXTENSION ALUMINIUM LADDER 'PRO'



- ✓ Rectangular aluminium profile, with inner nerves, dimensions 74x25mm
- ✓ Striped aluminium rungs for safe footing, pressed, dimensions 47x24mm
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Galvanized steel connection mechanisms 4mm
- ✓ Non-skid PVC feet
- ✓ Safety belts
- ✓ Aluminium stabilizer with anti-slip feet
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 800 207

ΚΩΔΙΚΟΣ CODE					
800 207	7	2,00 m	1,95 m	3,30 m	10,8
800 209	9	2,50 m	2,40 m	4,30 m	12,8
800 211	11	3,00 m	2,90 m	5,30 m	14,8
800 213	13	3,50 m	3,40 m	6,30 m	17,0
800 215	15	4,00 m	3,90 m	7,30 m	19,0
800 217	17	4,50 m	4,40 m	8,20 m	21,0





- ✓ Rectangular aluminium profile, with inner nerves, dimensions 74x25mm (till 800 314) without inner nerves, dimensions 115x27mm (801 316)
- ✓ Striped aluminium rungs for safe footing, pressed, dimensions 47x24mm (till 800 314) 25x25mm (801 316)
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Galvanized steel connection mechanisms 4mm
- ✓ Non-skid PVC feet
- ✓ Safety belts
- ✓ Aluminium stabilizer with anti-slip feet
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 800 307


ΚΩΔΙΚΟΣ CODE					
					kg
800 307	7	2,00 m	3,10 m	4,55 m	15,2
800 308	8	2,25 m	3,60 m	5,30 m	16,7
800 309	9	2,50 m	4,05 m	6,05 m	18,2
800 310	10	2,75 m	4,50 m	6,80 m	19,7
800 311	11	3,00 m	5,00 m	7,55 m	21,9
800 312	12	3,25 m	5,50 m	8,30 m	22,7
800 313	13	3,50 m	6,00 m	9,05 m	24,5
800 314	14	3,75 m	6,50 m	9,80 m	26,3
801 316	16	4,60 m	8,10 m	11,90 m	40,0

ΣΚΑΛΑ ΑΛΟΥΜΙΝΙΟΥ ΔΥΟ ΤΕΜΑΧΙΩΝ ΑΠΟΣΠΩΜΕΝΗ 'PRO'

TWO PIECES EXTENSION ALUMINIUM LADDER 'PRO'



- ✓ Rectangular aluminium profile, with inner nerves, dimensions 74x25mm
- ✓ Striped aluminium rungs for safe footing, pressed, dimensions 47x24mm
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Works by extending one piece onto the other (**not as A-shaped**) and as two separate pieces when needed
- ✓ Galvanized steel connection mechanisms 4mm
- ✓ Non-skid PVC feet
- ✓ Aluminium stabilizer with anti-slip feet
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 800 407

ΚΩΔΙΚΟΣ CODE				
800 407	7	2,00 m	3,30 m	9,0
800 409	9	2,50 m	4,30 m	11,1
800 411	11	3,00 m	5,30 m	13,0
800 413	13	3,50 m	6,30 m	15,1
800 415	15	4,00 m	7,30 m	17,0
800 417	17	4,50 m	8,20 m	19,1
800 419	19	5,00 m	9,20 m	21,0





- ✓ Rectangular aluminium profile dimensions 66x27mm
- ✓ Striped aluminium rungs for safe footing, pressed, dimensions 30x30mm
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Non-skid PVC feet
- ✓ Maximum weight capacity 150Kg
- ✓ Produced according to the European Standards EN131
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 801 107

ΚΩΔΙΚΟΣ CODE			
			kg
801 107	7	2,03 m	3,5
801 108	8	2,31 m	4,0
801 109	9	2,59 m	4,5
801 110	10	2,87 m	4,9
801 111	11	3,15 m	5,4
801 112	12	3,43 m	5,9
801 113	13	3,71 m	6,4
801 114	14	3,99 m	6,8
801 116	16	4,59 m	7,8
801 118	18	5,15 m	8,8



ΣΚΑΛΑ ΑΛΟΥΜΙΝΙΟΥ ΔΥΟ ΤΕΜΑΧΙΩΝ ΠΤΥΣΣΟΜΕΝΗ 'ΕΒΟ' TWO PIECES EXTENSION ALUMINIUM LADDER 'EVO'



- ✓ Rectangular aluminium profile dimensions 66x27mm
- ✓ Striped aluminium rungs for safe footing, pressed, dimensions 30x30mm
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Galvanized steel connection mechanisms 3mm & 4mm
- ✓ Non-skid PVC feet
- ✓ Safety belts
- ✓ Aluminium stabilizer with anti-slip feet
- ✓ Maximum weight capacity 150Kg
- ✓ Produced according to the European Standards EN131
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 801 207

ΚΩΔΙΚΟΣ CODE					
801 207	7	2,03 m	1,94 m	3,46 m	9,1
801 208	8	2,31 m	2,21 m	4,02 m	10,0
801 209	9	2,59 m	2,48 m	4,58 m	11,0
801 210	10	2,87 m	2,74 m	4,86 m	12,0
801 211	11	3,15 m	3,01 m	5,42 m	13,0
801 212	12	3,43 m	3,28 m	5,98 m	13,9
801 213	13	3,71 m	3,55 m	6,26 m	14,9
801 214	14	3,99 m	3,82 m	6,82 m	15,9





- ✓ Rectangular aluminium profile dimensions 66x27mm
- ✓ Striped aluminium rungs for safe footing, pressed, dimensions 30x30mm
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Galvanized steel connection mechanisms 3mm & 4mm
- ✓ Non-skid PVC feet
- ✓ Safety belts
- ✓ Aluminium stabilizer with anti-slip feet
- ✓ Maximum weight capacity 150Kg
- ✓ Produced according to the European Standards EN131
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions





Picture: 801 307

ΚΩΔΙΚΟΣ CODE					
801 307	7	2,03 m	3,04 m	4,56 m	12,6
801 308	8	2,31 m	3,58 m	5,12 m	14,0
801 309	9	2,59 m	4,12 m	5,96 m	15,4
801 310	10	2,87 m	4,39 m	6,52 m	16,8
801 311	11	3,15 m	4,65 m	6,85 m	18,2

ΣΚΑΛΑ ΑΛΟΥΜΙΝΙΟΥ ΕΝΙΣΧΥΜΕΝΗ 'MAREA' ENHANCED ALUMINIUM LADDER 'MAREA'



- ✓ Rectangular aluminium profile dimensions 50x25mm
- ✓ Striped aluminium rungs for safe footing, pressed, width 80mm
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Non-skid rubber feet
- ✓ Safety belts (4+1-9+1)
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 5-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 204 601

ΚΩΔΙΚΟΣ CODE					
204 301	3+1	1,63 m	1,48 m	0,87 m	4,8
204 401	4+1	1,89 m	1,73 m	1,12 m	6,0
204 501	5+1	2,14 m	1,96 m	1,35 m	7,0
204 601	6+1	2,38 m	2,19 m	1,58 m	7,8
204 701	7+1	2,65 m	2,42 m	1,82 m	8,6
204 801	8+1	2,87 m	2,67 m	2,06 m	9,8
204 901	9+1	3,13 m	2,91 m	2,28 m	11,4





Picture: 204 106-2



ΚΩΔΙΚΟΣ CODE				
204 106-2	5+1	2,42 m	1,50 m	9,0
204 107-2	6+1	2,70 m	1,78 m	10,9



- ✓ Rectangular aluminium profile, dimensions 55x20mm & 45x20mm
- ✓ Striped aluminium rungs for safe footing, pressed, width 100mm
- ✓ Second stepping platform (106-2 & 107-2)
- ✓ Non-skid feet
- ✓ Safety belts (106-2 & 107-2)
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131



Picture: 204 104



ΚΩΔΙΚΟΣ CODE				
204 103	2+1	1,27 m	0,66 m	6,0
204 104	3+1	1,51 m	0,90 m	7,1
204 105	4+1	1,74 m	1,13 m	8,1
204 106	5+1	1,98 m	1,37 m	9,3
204 107	6+1	2,21 m	1,60 m	10,4
204 108	7+1	2,45 m	1,84 m	11,6

ΣΚΑΛΑ ΑΛΟΥΜΙΝΙΟΥ ΒΑΡΕΟΣ ΤΥΠΟΥ 'P1' HEAVY DUTY ALUMINIUM LADDER 'P1'



- ✓ Rectangular aluminium profile, dimensions 90x25mm
- ✓ Striped aluminium rungs for safe footing, width 80mm
- ✓ Non-skid feet
- ✓ Galvanized steel rods
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 5-year guarantee of good use is provided, according to the manufacturer's instructions




Picture: 803 106

ΚΩΔΙΚΟΣ CODE			 kg
803 105	5+5	1,17 m	6,5
803 106	6+6	1,40 m	8,0
803 107	7+7	1,62 m	9,3
803 108	8+8	1,86 m	10,8
803 109	9+9	2,10 m	12,0
803 111	11+11	2,57 m	14,5





- ✓ Rectangular aluminium profile, dimensions 64x30mm & 57x27mm
- ✓ Striped aluminium rungs for safe footing, pressed, dimensions 27x27mm
- ✓ Plastic platform/tool holder dimensions 31x36cm
- ✓ Non-skid rubber feet
- ✓ It can be used on uneven surfaces
- ✓ Locking mechanisms
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131 (only 6+6)
- ✓ A 5-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 803 007S

ΚΩΔΙΚΟΣ CODE					
803 006S	6+6	0,97 m	1,46 m	3,00 m	9,2
803 007S	7+7	1,25 m	1,71 m	3,55 m	9,8
803 008S	8+8	1,25 m	1,96 m	4,10 m	11,0
803 009S	9+9	1,53 m	2,23 m	4,64 m	12,0
803 010S	10+10	1,53 m	2,51 m	5,22 m	13,2
803 011S	11+11	1,81 m	2,82 m	5,80 m	14,2
803 012S	12+12	1,81 m	3,10 m	6,35 m	15,0




ΣΚΑΛΑ ΠΟΛΛΑΠΛΗΣ ΧΡΗΣΗΣ ΑΛΟΥΜΙΝΙΟΥ 'MULTI'


MULTI-PURPOSE ALUMINIUM LADDER 'MULTI'



- ✓ Rectangular aluminium profile, dimensions 63x24mm
- ✓ Rungs dimensions 30x30mm
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Non-skid feet
- ✓ Stabilizers with anti-slip feet (205-2 & 206-2)
- ✓ Easy and fast mechanisms to convert it into single, double or Π-shaped ladder
- ✓ Steel platforms with codes: 205 203 (for 205 & 205-2) & 205 204 (for 206 & 206-2)
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131



205 205




205 205-2



ΚΩΔΙΚΟΣ CODE					
205 205	3,68 m	1,79 m	1,00 m	1,01 m	10,5
205 205-2	3,70 m	1,80 m	1,01 m	1,00 m	11,1
205 206	4,67 m	2,26 m	1,25 m	1,26 m	12,2
205 206-2	4,68 m	2,28 m	1,26 m	1,25 m	12,8







- ✓ Rectangular aluminium profile, with inner nerves, dimensions 74x25mm
- ✓ Striped aluminium rungs for safe footing, pressed, dimensions 47x24mm
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Non-skid PVC feet
- ✓ Safety chain
- ✓ Maximum weight capacity 150kg
- ✓ A 2-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 201 003

ΚΩΔΙΚΟΣ CODE						
201 002	2	0,87 m	0,65 m	0,76 m	0,75 m	4,8
201 003	3	1,00 m	0,65 m	0,76 m	0,75 m	5,9





Πήχης αλουµινίου 80x20mm
Aluminium board 80x20mm

ΚΩΔΙΚΟΣ CODE	↑ ↓	ΣΥΣΚ/ΣΙΑ PACKAGE
100 100	1,00 m	4 pcs
100 150	1,50 m	4 pcs
100 200	2,00 m	4 pcs
100 250	2,50 m	4 pcs
100 300	3,00 m	4 pcs
100 350	3,50 m	4 pcs
100 500	5,00 m	4 pcs



Πήχης αλουµινίου (Κόφτης)
Aluminium board


ΚΩΔΙΚΟΣ CODE	↑ ↓	ΣΥΣΚ/ΣΙΑ PACKAGE
101 100	1,00 m	4 pcs
101 125	1,25 m	4 pcs
101 150	1,50 m	4 pcs
101 175	1,75 m	4 pcs
101 200	2,00 m	4 pcs
101 500	5,00 m	4 pcs



- ✓ Platform width 30cm
- ✓ Non-skid feet
- ✓ Maximum weight capacity 150kg



ΚΩΔΙΚΟΣ CODE	← →	← →	↑ ↓	kg
205 202	0,44 m	0,98 m	0,74 m	6,4



- ✓ Aluminium profile
TL 320 Φ 68mm &
TL 380 Φ 76mm
- ✓ Striped aluminium rungs
for safe footing, width
40mm
- ✓ High strength aluminium
thickness 1,2mm
- ✓ Non-skid feet
- ✓ Maximum weight
capacity 150kg
- ✓ Produced according to
the European Standards
EN131




Picture: TL 320




ΚΩΔΙΚΟΣ CODE					
TL 320	11	3,20 m	0,80 m	0,47 m	9,0
TL 380	13	3,80 m	0,86 m	0,48 m	11,0

ΣΚΑΛΑ ΠΟΛΛΑΠΛΩΝ ΣΥΝΔΥΑΣΜΩΝ ΣΙΔΗΡΟΥ 'ΕΜΑ' MULTI-PURPOSE STEEL LADDER 'ΕΜΑ'



- ✓ Easy and fast mechanisms to convert it into single and double ladder
- ✓ It can be used on uneven surfaces
- ✓ Non-skid feet
- ✓ Maximum weight capacity 100kg



ΚΩΔΙΚΟΣ CODE				
205 EMA-04	1,12 m	1,90 m	3,90 m	12,0



- ✓ Rectangular wooden profile dimensions 39x48mm
- ✓ Streaked wooden rungs for safe footing, dimensions 39x48mm
- ✓ Non-skid feet and safety belt
- ✓ Poplar wood
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131 (except 802 208 & 802 003)



Picture: 802 205

ΚΩΔΙΚΟΣ CODE					ΠΙΣΤΟΠΟΙΗΣΗ CERTIFICATE
802 204	4	1,50 m	0,58 m	7,0	
802 205	5	1,75 m	0,63 m	8,9	
802 206	6	2,00 m	0,66 m	10,0	
802 207	7	2,25 m	0,69 m	11,9	
802 208	7	2,50 m	0,72 m	12,2	

Picture: 802 002

ΚΩΔΙΚΟΣ CODE					ΠΙΣΤΟΠΟΙΗΣΗ CERTIFICATE
802 002	2	0,90 m	0,86 m	7,2	
802 003	3	1,10 m	0,86 m	8,8	

ΣΚΑΛΑ ΑΛΟΥΜΙΝΙΟΥ ΒΑΡΕΟΣ ΤΥΠΟΥ 'VERA' HEAVY DUTY ALUMINIUM LADDER 'VERA'



- ✓ Rectangular aluminium profile, dimensions 80x25mm & 57x27mm
- ✓ Striped aluminium rungs for safe footing, width 80mm
- ✓ Platform dimensions 50x45cm
- ✓ High strength aluminium thickness 1,2mm
- ✓ Wheels for easier handling
- ✓ Non-skid feet
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 5-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 804 V06

ΚΩΔΙΚΟΣ CODE					
804 V04	1,80 m	1,00 m	0,80 m	1,37 m	14,0
804 V06	2,20 m	1,40 m	0,83 m	1,70 m	17,0
804 V08	2,70 m	1,90 m	0,85 m	2,06 m	20,0
804 V10	3,10 m	2,30 m	0,94 m	2,80 m	23,0
804 V12	3,60 m	2,80 m	0,94 m	2,80 m	26,0





- ✓ Rectangular aluminium profile, dimensions 100x30mm & 57x27mm
- ✓ Striped aluminium rungs for safe footing, width 100mm
- ✓ Platform dimensions 67x53cm with feet protection height 15cm
- ✓ High strength aluminium, thickness 1,2mm
- ✓ Wheels for easier handling
- ✓ Non-skid feet
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 5-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 804 C09

ΚΩΔΙΚΟΣ CODE					 kg
804 C08	3,15 m	2,15 m	1,17 m	1,92 m	35,0
804 C09	3,37 m	2,37 m	1,17 m	2,06 m	37,0
804 C10	3,65 m	2,65 m	1,17 m	2,20 m	39,0
804 C11	3,90 m	2,90 m	1,33 m	2,37 m	41,0
804 C12	4,16 m	3,16 m	1,33 m	2,50 m	44,0
804 C14	4,75 m	3,75 m	1,50 m	2,80 m	48,0



ΣΚΑΛΑ ΑΛΟΥΜΙΝΙΟΥ ΒΑΡΕΟΣ ΤΥΠΟΥ 'PALCO LIGHT' HEAVY DUTY ALUMINIUM LADDER 'PALCO LIGHT'



- ✓ Rectangular aluminium profile, dimensions 85x20mm & 70x25mm
- ✓ Striped aluminium rungs for safe footing, width 80mm
- ✓ Platform dimensions 78x61cm with feet protection height 15cm
- ✓ Stabilizer for greater stability (P05-P07)
- ✓ Hand grip on one side
- ✓ Galvanized steel enhanced bars
- ✓ Wheels for easier handling
- ✓ Non-skid feet
- ✓ Maximum weight capacity 150kg
- ✓ Produced according to the European Standards EN131
- ✓ A 3-year guarantee of good use is provided, according to the manufacturer's instructions



Picture: 804 P05

ΚΩΔΙΚΟΣ CODE					
804 P04	1,84 m	0,84 m	0,79 m	1,24 m	23,8
804 P05	2,05 m	1,05 m	0,91 m	1,34 m	27,0
804 P06	2,26 m	1,26 m	1,10 m	1,44 m	28,5
804 P07	2,47 m	1,47 m	1,31 m	1,54 m	30,3





Η Tempo είναι (ένα σύστημα σκαλωσιών) μια σκαλωσιά που μπορεί να συναρμολογηθεί πολύ γρήγορα (στο μισό χρόνο από ότι άλλες σκαλωσιές). Είναι κατασκευασμένη από εξαιρετικά ανθεκτικό και ελαφρύ κράμα αλουμινίου. Η διάμετρος του σωλήνα που χρησιμοποιείται είναι 50mm. Η σκουριά δεν μπορεί να διαβρώσει αυτό το υλικό, το οποίο είναι μακράς διάρκειας (εγγυημένο για 5 χρόνια). Είναι ασφαλής και υψηλής λειτουργικότητας.

Η Tempo είναι ρυθμισμένη να δίνει στον χρήστη την ικανότητα να την προσαρμόζει σε κάθε είδους εργασία.

Διατίθεται σε τρεις τύπους:

- ✓ **TEMPO M:** 0,74m πλάτος x 2,00m μήκος. Το ανώτατο ύψος της Tempo M είναι 10,25m, με ύψος πλατφόρμας 9,15m και ανώτατο ύψος εργασίας 11,15m. Το βάρος του βασικού τεμαχίου είναι 70kg και κάθε προέκταση 19,0kg.
- ✓ **TEMPO S:** 0,74m πλάτος x 2,50m μήκος. Το ανώτατο ύψος της Tempo S είναι 10,25m, με ύψος πλατφόρμας 9,15m και ανώτατο ύψος εργασίας 11,15m. Το βάρος του βασικού τεμαχίου είναι 80kg και κάθε προέκταση 20,4kg.
- ✓ **TEMPO L:** 1,35m πλάτος x 2,50m μήκος. Το ανώτατο ύψος της Tempo L είναι 12,40m, με ύψος πλατφόρμας 11,30m και ανώτατο ύψος εργασίας 13,30m. Το βάρος του βασικού τεμαχίου είναι 117kg και κάθε προέκταση 29,6kg.

Και στις τρεις περιπτώσεις προστίθεται προστατευτικό κιγκλίδωμα τελειώματος, και ανάλογα με το ύψος, αντηρίδες στήριξης για μεγαλύτερη ασφάλεια και προστασία. Επίσης, ανάλογα με την επιθυμία του πελάτη, μπορούν να προστεθούν επιπλέον πλατφόρμες εργασίας.


Tempo is (a scaffolding system) a scaffold that can be assembled very quickly (in half the time than other scaffoldings) as it is made of an extremely durable and lightweight aluminium alloy: rust cannot corrode this long lasting material (guaranteed for five years). The diameter of the tube that is used is 50mm. It is safe, highly functional and suitable for heavy duty use. Tempo scaffold is designed to give user the ability to adapt to any type of work. It is available in three types:

- ✓ **TEMPO M:** 0,74m width x 2,00m length. The maximum height of Tempo M is 10,25m, with platform height at 9,15m and maximum working height at 11,15m. The weight of the basic block is 70kg and each extension 19,0kg.
- ✓ **TEMPO S:** 0,74m width x 2,50m length. The maximum height of Tempo S is 10,25m, with platform height at 9,15m and maximum working height at 11,15m. The weight of the basic block is 80kg and each extension 20,4kg.
- ✓ **TEMPO L:** 1,35m width x 2,50m length. The maximum height of Tempo L is 12,40m, with platform height at 11,30m and maximum working height at 13,30m. The weight of the basic block is 117kg and each extension 29,6kg.


In all cases, the scaffolds come with protection railing and, depending on the height, with supporting struts as well, in order to achieve greater security and protection. Also, depending on the customer's desire, additional platforms can be added.



ΤΕΧΝΙΚΑ ΧΑΡΑΚΤΗΡΙΣΤΙΚΑ 'ΤΕΜΠΟ' TECHNICAL CHARACTERISTICS 'TEMPO'



- ❶ Ρόδα/Wheel
150mm - 125mm
- ❷ Διαγώνιο μπράτσο/
Diagonal brace
- ❸ Πλαίσιο σκαλωσιάς/
Frame
- ❹ Οριζόντιο μπράτσο/
Horizontal brace
- ❺ Πλαίσιο τελειώματος/
Finishing frame
- ❻ ❼ Πλατφόρμα με
προστασία ποδιών &
πόρτα/
Platform with door
- ❽ Αντηρίδα στήριξης/
Stabilizer
- ❾ Διπλό οριζόντιο
προστατευτικό μπράτσο/
Double horizontal
protection brace
- ❿ Ρυθμιστής ύψους/
Height-Adjustable leg





✓ **ROLLER βάση (TMP TROL):**

Υψος 1,95m, βάρος 24,9kg
Ανώτατο ύψος πλατφόρμας 1,30m

✓ **ROLLER S προέκταση (TMP TROL1):**

Υψος 1,50m, βάρος 12,9kg
Ανώτατο ύψος πλατφόρμας 2,50m

- ⇒ Διαστάσεις σκαλωσιάς 1,60x0,80m
- ⇒ Συνολικό ύψος με προέκταση 3,45m

✓ **ROLLER base (TMP TROL):**

Height 1,50m, weight 24,9kg
Maximum platform height 1,30m

✓ **ROLLER S extension piece (TMP TROL1):**

Height 1,50m, weight 12,9kg
Maximum platform height 2,50m

- ⇒ Scaffold dimensions 160x0,80m
- ⇒ Maximum height with the extension piece 3,45m



SNODABILE



HARMONICA



ΚΩΔΙΚΟΣ CODE	ΔΙΑΣΤΑΣΕΙΣ DIMENSIONS		ΤΥΠΟΣ TYPE
PAT001	0,70 m x 1,00 m	3,00 m	4 pcs foldable

ΚΩΔΙΚΟΣ CODE	ΔΙΑΣΤΑΣΕΙΣ DIMENSIONS		ΤΥΠΟΣ TYPE
PAT002	0,70 m x 1,00 m	3,00 m	ACCORDION





ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION			ΣΥΣΚ/ΣΙΑ PACKAGE
302 907	Ironing board (electrostatic coat) 'KARMA'	30x110 cm	18 mm	6 pcs
302 908	Ironing board (electrostatic coat) 'KARMA PLUS'	38x120 cm	22 mm	4 pcs

ΑΤΜΟΣΙΔΕΡΩΣΤΡΕΣ IRONING BOARDS




ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION			ΣΥΣΚ/ΣΙΑ PACKAGE
302 909	Ironing board (electrostatic coat) 'LOTUS'	42x120 cm	30x20 mm	2 pcs



Φωτογραφία: 300 912

ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION			ΣΥΣΚ/ΣΙΑ PACKAGE
302 906	S type ironing board (electrostatic coat) 'SIGMA'	36x120 cm	32 mm	2 pcs
302 912	S type ironing board (electrostatic coat) 'SIGMA PLUS'	42x125 cm	32 mm	2 pcs





Picture: 300 BR-100

ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION	ΣΥΣΚ/ΣΙΑ PACKAGE
300 BR-100	Steel rail hanging clothes dryer 'BRONCO'	6 pcs
300 BR-100AL	Aluminium rail hanging clothes dryer 'BRONCO AL'	6 pcs

Picture: 300 931


ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION	ΣΥΣΚ/ΣΙΑ PACKAGE
300 931	Steel rail hanging clothes dryer (elec/tic coat) 'FIONA'	12 pcs
300 937	Aluminium rail hanging clothes dryer (elec/tic coat) 'FIONA AL'	12 pcs



Picture: 300 AL-90

ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION	ΣΥΣΚ/ΣΙΑ PACKAGE
300 AL-90	Aluminium rail hanging clothes dryer 90cm 'HOOK'	4 pcs
300 AL-130	Aluminium rail hanging clothes dryer 130cm 'HOOK'	4 pcs
300 AL-150	Aluminium rail hanging clothes dryer 150cm 'HOOK'	4 pcs

ΑΠΛΩΣΤΡΕΣ ΚΡΕΜΑΣΤΕΣ & ΒΙΔΩΤΕΣ HANGABLE & MOUNTABLE CLOTHES DRYERS



ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION	ΣΥΣΚ/ΣΙΑ PACKAGE
300 938	Galvanized steel folding clothes dryer 'LUMI'	6 pcs



Picture: 300 108

ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION	ΣΥΣΚ/ΣΙΑ PACKAGE
300 108	Inox wall-mounted clothes dryer 80 cm 'HARMONY'	6 pcs
300 110	Inox wall-mounted clothes dryer 100 cm 'HARMONY'	6 pcs
300 112	Inox wall-mounted clothes dryer 120 cm 'HARMONY'	6 pcs
300 208	Aluminium wall-mounted clothes dryer 80 cm 'HARMONY AL'	6 pcs
300 210	Aluminium wall-mounted clothes dryer 100 cm 'HARMONY AL'	6 pcs
300 212	Aluminium wall-mounted clothes dryer 120 cm 'HARMONY AL'	6 pcs



ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION		ΣΥΣΚ/ΣΙΑ PACKAGE
300 916	Steel clothes dryer 'JOLIENE'	18 m	6 pcs




ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION		ΣΥΣΚ/ΣΙΑ PACKAGE
300 919	Plastic clothes dryer 'ZEFFI'	20 m	2 pcs

ΑΠΛΩΣΤΡΕΣ ΔΑΠΕΔΟΥ

FLOOR CLOTHES DRYERS



ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION		ΣΥΣΚ/ΣΙΑ PACKAGE
300 932	Aluminium clothes dryer 'COOL'	10 m	6 pcs




Picture: 300 940

ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION		ΣΥΣΚ/ΣΙΑ PACKAGE
300 917	Rope line aluminium clothes dryer 'FIESTA'	18 m	6 pcs
300 918	Rope line aluminium clothes dryer (elec/tic coat) 'FIESTA'	18 m	6 pcs
300 934	Wire line aluminium clothes dryer 'FIESTA'	20 m	4 pcs
300 940	Aluminium clothes dryer 'FIESTA'	20 m	6 pcs



ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION	ΣΥΣΚ/ΣΙΑ PACKAGE
301 920	2-wheel folding shopping trolley 'DOBLE'	4 pcs
301 924	4-wheel folding shopping trolley 'CUATRO'	3 pcs



ΚΩΔΙΚΟΣ CODE	cm	ΠΕΡΙΓΡΑΦΗ DESCRIPTION	ΣΥΣΚ/ΣΙΑ PACKAGE
301 922	42x42 min 66x66 max	Square base with brake	6 pcs



ΚΩΔΙΚΟΣ CODE	cm	ΠΕΡΙΓΡΑΦΗ DESCRIPTION	ΣΥΣΚ/ΣΙΑ PACKAGE
301 923	42 min 67 max	Two pieces base with brake	6 pcs



301 925



301 927



ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION	ΣΥΣΚ/ΣΙΑ PACKAGE
301 925	Fabric shopping trolley 45L 'ARGO'	4 pcs
301 927	Fabric shopping trolley 52L 'ITALO'	4 pcs

ΚΩΔΙΚΟΣ CODE	ΠΕΡΙΓΡΑΦΗ DESCRIPTION	ΤΕΜΑΧΙΑ PIECES	ΠΡΟΪΟΝ PRODUCT
900 001	Πλαστικά εξαρτήματα 'SUPER' Plastic accessories 'SUPER'	2+2	
900 012	Πλαστικά εξαρτήματα 'PLUS' Plastic accessories 'PLUS'	2+2	
900 013	Πλαστικά εξαρτήματα 'STEPUP' Plastic accessories 'STEPUP'	2+2	
900 009	Πλαστικά εξαρτήματα 'ECO' Plastic accessories 'ECO'	2+2	
900 005	Πλαστικά εξαρτήματα 'MIX' Plastic accessories 'MIX'	2+2	
900 006	Πλαστικά εξαρτήματα 'STEEL' Plastic accessories 'STEEL'	2+2	
701 016	Πλαστικά εξαρτήματα 'UNO & DUO' Plastic accessories 'UNO & DUO'	1	
900 004	Πλαστικά εξαρτήματα επαγγελματικής 'PRO' Plastic accessories professional 'PRO'	4	
900 003	Πλαστικά εξαρτήματα τραβέρσας 'PRO' Plastic accessories for stabilizer 'PRO'	2	
900 011	Πλαστικά εξαρτήματα επαγγελματικής 'EVO' Plastic accessories professional 'EVO'	4	
900 010	Πλαστικά εξαρτήματα τραβέρσας 'EVO' Plastic accessories for stabilizer 'EVO'	2	



- ✓ Plastic accessories
 - ✓ Aluminium stabilizers
 - ✓ Ironing board covers
 - ✓ Shopping trolleys wheels
- ⇒ For more information regarding the available accessories, do not hesitate to contact us

PROFAL S.A.

MANUFACTURE OF PRODUCTS FROM
ALUMINIUM & STEEL

52nd km Athinon-Lamias National Road,
thesi Tsouba 190 11, Avlonas Attica

T: +30 22950 42670, +30 22950 42 168

F: +30 22950 42593

E: info@profal.gr <http://www.profal.gr>

